



Modular Door Station

— Stainless Steel Version

Modular Door Station Family



Main unit
DS-KD8003-IME1/NS
DS-KD8003-IME2/NS



Main unit
DS-KD8003-IME1/S
DS-KD8003-IME2/S



Keypad module
DS-KD-KP/S



Nametag module
DS-KD-KK/S



Card reader module
DS-KD-M (13.5MHz)



Card reader module
DS-KD-E (125KHz)



Blank module
DS-KD-BK



Display module
DS-KD-DIS



Indicator module
DS-KD-IN

Flexible Combination

Readily expansibility with various modules and brackets



Main unit without key



Main unit with key




Keypad module




Nametag module




Display module



Surface mounting frame



Flush mounting frame



Bracket



Modular Door Station
with New Material

Key Functions



Stainless Steel 304



2M, 180° WDR



Display screen



Configurable modularity



PoE



Two locks control




Backlight function



Nametag

Highlights — Excellent Image Quality

Fisheye camera, 2MP, 180°, ultra wide view angle, night vision



Door station image at night

Highlights — Easy Control & Various Application

Replaceable name tag



Print Letter/Name/Logo on the Name Tag Template

Benjamin



Insert the Name Tag into the tag slot




Cover the front mental panel, fix it with screws



Name Tag
Template


Highlights — Elegant & Useful Design

Artistic industrial design



Highlights — Elegant & Useful Design

Suitable for the disabled



The salient point on button 5 is suitable for person with visual impairment to use.


System Framework for IP Video Intercom

Receive call and unlock door on Hik-Connect

Alarm pushed to Hik-Connect

Two lock control

Access control




System Framework for 2 Wire Video Intercom

Receive call and unlock door on Hik-Connect

Alarm pushed to Hik-Connect

Two lock control

Access control





THANKS!